







RARE BOOK .COLLECTION

LIBRARY OF CONGRESS. TOMER COLLECTION. Chap. Shelf UNITED STATES OF AMERICA.









17

13.

EXPLANATION

OF THE

MAGNETIC ATLAS,

OR

VARIATION CHART,

HEREUNTO ANNEXED;

PROJECTED ON A PLAN

ENTIRELY NEW,

THE GLOBE MAY BE PRECISELY DETERMINED, FOR ANY TIME, PAST, PRESENT, OR FUTURE: AND THE VARIATION AND LATITUDE BEING ACCURATELY KNOWN, THE LONGITUDE IS OF CONSEQUENCE TRULY DETERMINED.

BY JOHN CHURCHMAN,

Late land surveyor for the district of the counties of Delaware and Chester, and for part of Lancaster and Berks, Pennsylvania.

PHILADELPHIA:

PRINTED BY JAMES & JOHNSON, ON THE NORTH

SIDE OF MARKET-STREET, BETWEEN THIRD

AND FOURTH-STREETS.

M, DCC, XC.

District of Pennsylvania, to wit.

BE it remembered, that on the seventeenth day of June, in the sourteenth year of the Independence of the United States of America, John Churchman, of the said district, hath deposited in this office, the title of a book, and the title or dedication of a chart, the right whereof he claims as Author, the title of the book being

in the words following, to wit.

"An Explanation of the Magnetic Atlas, or Variation
"Chart, hereunto annexed; projected on a plan entirely
new, by which the Magnetic Variation on any part of
the globe may be precifely determined, for any time,
past, present, or future: and the variation and latitude
being accurately known, the longitude is of consequence
truly determined: By John Churchman, late land-surveyor for the district of the counties of Delaware and
"Chester, and for part of Lancaster and Berks, Pennsylvania;" and the title or dedication of the chart being
in the words following, to wit:"

"To George Washington, President of the United States of America, this Magnetic Atlas, or Variation "Chart, is humbly inscribed by John Churchman:"—in conformity to the Act of the Congress of the United States, entitled, "An act for the encouragement of learning, by securing the copies of maps, charts, and books, to the authors and proprietors of such copies, during the terms therein mentioned."

SAMUEL CALDWELL,

Clerk of the District of

PENNSYLVANIA.

KWKWKWKWK

PREFACE.

he he

ht

ng

on

ly

of e,

g

T appears probable that one of the principal causes, why more useful discoveries are not made, is the sear of ridicule, which is sometimes the sate of projectors who promulgate new opinions, and attempt new experiments. A desire of avoiding the sarcasms of ignorance and malevolence, may suppress many useful inventions; yet we find some gradually press forward; and although, for want of encouragement, an hundred probable schemes may sink in oblivion, there will ever be some of such magnitude, in the eyes of their own inventors, that, regardless of the "world's dread laugh," they will burst into day, and either go off in vapour, or remain permanent lights.

In a lituation of speculative enquiry, I confess I had long continued; and in the beginning of the year 1787, I risked a declaration of my opinions before the public, apprehending I had formed a plan of much importance to navigation, confiding in their generosity to give it a candid reception, which in a great measure I was so fortunate as to obtain: and as the first principles seem at present to be universally admitted, I have the more reason to hope for further indulgence towards this little tract, which is designed

T

t

V

V

n

16

T

p

h

C

a

0

aj

to accompany and explain the MAGNETIC AT-LAS, or VARIATION CHART of all the Northern Hemisphere. If any imperfections should be found in either of them, the reader is respectfully folicited to supply the defect; and I trust, notwithstanding, under a conviction that they will do no injury to mankind, they may at least obtain for me their pardon, if not their thanks for my intention of rendering them a service. And yet, I must acknowledge, that, in pursuing this subject. I considered it also as an object of emolument, although in this respect I have done nothing more, than to accept the invitation held out by many Governments, with promises of a generous reward, to engage persons in the public service.

Having premised thus much, I shall, in the following treatise, proceed to describe, in a more particular manner, the elements of a system, which, I apprehend, attains to the actual and complete Discovery of the LONGITUDE.

This indeed is a fubject which, hitherto, has generally excited a fmile, whenever attempted; yet I have risked that, for the public good.

The variation of the compass, and its heretofore (imagined) uncertain laws, have long engaged the attention of philosophers. Why it should change, and become at one time flow, at another time quick, now flationary, and then retrograde, has puzzled the enquirer. These have long been subjects of observation; yet I have never heard that any regular system has hitherto been published, to account for or foretell, upon any rational plan, what will be the future move-

ments of this wonderful phenomenon, the magnetic influence. Whether my attempts to reconcile all these difficulties, and, of consequence, to build on them a certain system of longitude, will prove successful, or not, must be left to the world to judge.

The proposed problems may be solved by the magnetic atlas alone, without an accurate knowledge of the magnetic elements; but as the elements result from a multitude of observations, reslections, and deductions, and are the leading principles on which the chart is constructed, perhaps an explanation of them may not be unacceptable. They will appear in the first chapter, and will, no doubt, be found easy and intelligible, but more especially to all those who have in the least degree applied themselves to the study of spherical geometry, or the use of the globes.

As the introduction of a number of new terms appeared absolutely necessary, the liberty taken in this respect will be deemed pardonable.

Subscribers Names come to hand.

TITLES are confidered as being of feveral kinds: 1st, Such as are merely epithetical; 2d, the usual names of office; 3d, appendages, &c. In a republican government, it is hoped that none in the following list will be offended at the omission of the former, especially as the personage to whom the Magnetic Atlas is addressed has generally no other title than that of President of the United States. Were there a conformity to custom, those distinguished characters would have the corresponding epithets presided, ‡ Right Reverend, † Reverend, † His Excellency, * Honourable: those marked || are members of the American Philosophical Society.

A
§ John Adams, Efq; L. L. D. Vice
Prefident of the United States,
and Prefident of the Senate

John Andrews, D. D. Professor of Rhetoric and Belles Lettres, in the College and Academy of Philadelphia.

Captain William Atkinson. Captain Ashmead. Richard Adams

John Adlum, Efq. John Arndt, Efq,

Burgefs Allifon, A. M. Director of the Academy at Bordentown. J. Allibone.

B

- * Theodorick Bland, Efq; M. H. R. Congress.
- * Ædanus Burke, Esq; M. H. R. Congress.
- * Daniel Broadhead, Efq; Surveyor General of Pennfylvania.
- William Barton, Efq; Counfellor at Law.

Benjamin Smith Barton, M D.
Professor of Natural History and
Botany, in the College of Philadelphia

Charles Biddle, Efq; Prefident of the Marine Society, and late Vice Prefident of the Supreme Executive Council of Pennfylvania.

Hilary Baker, Efg. one of the Aldermen of the city of Philadelphia.

* Lord Butler, Member of the Supreme Executive Council of Pennfylvania.

* William Bingham, Efq;

John Boyd, M D. Clement Biddle, Efq; Lewis Brantz. Captain Johna Barney. William Barrall, Efq; Attorney at Law.

* Daniel Bowley, Efq.
James Baker, Efq; land-furveyor,
John Beall, Efq;
Francis Bailey, Printer.
Edward Burd, Efq; Prothonotary
of the Supreme Court of Penn-

of the Supreme Court of Pennfylvania.

Samuel Bard, M. D.

John Barney.
Andrew Brown, Printer.

James Bringhurft (and fon.)
Joseph Ball, Efg; one of the Aldermen of Philadelphia.
John Baine, junior.

C

- John Carrol, D. D. Bishop of the Roman Catholic Church in the United States.
- Jeremiah T. Chase, Esq; of the Council in Maryland.
- * Charles Carrol, of Carrolton, Elq. Senator of the United States.
- § George Clinton, Efq; Governor and Commander in Chief of New-York.
- * Benjamin Contee, Efq; M. H. R. Congress.
- Haac Coles, Efq; M. H. R. Congress
 Lewis Le Couteulx, Efq; Member of the National Assembly at Paris.
- * Samuel Chafe, Efq; Gabriel Christie, Efq. Skipwith Coale.

Philip Coale.
Captain Joseph Caulkes
Ambrose Clark.
James Campbell.
Major William Crane.
Matthew Cary, Printer.
James Galbraith.
Alexander Christie.
Francis Childs and John Swaine.
Samuel Coares.
Richard Colles.
Marmaduke Cooper.
David Haysield Conyngham.
James Chapman.

Matthew Clarkson, Esq; one of the Aldermen of Philadelphia. Thomas Canby.

John Chapman, Efq; Member of the General Affembly of Pennfylvania.

Christopher Colles. George Campbell, Esq; Register for the Probate of Wills, Philadelphia.

George Churchman, junior.

||* Le Chevalier D' Anemours, French Conful for Maryland and Virginia,

|| Sharp Delany, Efq; Collector of the Cunoms at Philadelphia. || Henry Drinker, Efq; one of the Common Council of Philadelphia.

+ William Duke. John Dunkin, William Dean.

e

e

q;

T

of

R.

ess

er

Andrew Ellicott, Efq;
John Ellicott.
Samuel Earle, Efq; Counfellor at
Law.
Thomas Elliott, Efq;
Griffiths Evans, Efq;
Jofeph Evans,

F Benjamin Franklin, L. L. D. F. R. S. late Patron and Prefident of the American Philosophical Society, &c. &c.

Miers Fisher, Esq. Counsellor at Law.

|| George Fox, Efg;

James C. and Samuel W. Fisher. Joseph Few.

William Findly, Efg; Member of the Supreme Executive Council of Pennfylvania. John Fitch.

Christian Febiger, Esq; Stats Treasurer for Pennsylvania.

§ Don Diego de Gardoqui, Plenipotentiary Encargado de Negocios of his Catholic Majesty.

Amos Gregg, Efq; Member of the Supreme Executive Council of Pennfylvania

Frederick Green, Efg;

John Lee Gibson, Esq; Prothonotary of Harford county, Maryland.

Albert Gallatin, Efq; member of the State Convention, Penufylvania.

William Goddard.
Daniel Grant.
Dr. Reuben Gilder.
Benjamin Griffith,
Thomas Gregg.
Johua Gilpin,
Gurney & Smith.
George and Robert Gray.

* Alexander Hamilton, Efq; Secretary of the Treafury Thomas Harwood, Efq; Treafurer of the Western Shore, Maryland.

Daniel Heister, Esq; M. H. R. Congress.

Michael Hillegas, Efq; late Treafurer of the United States.

* Benedict Hall, Efq: late Senator in Maryland.

Col Joseph Carvil Hall.

* Samuel Hughes, Fig; of the Senate of Maryland.

Col. Henry Hollingfworth.
* Henry Hill, Efg; late Member of the Supreme Executive Council of Pennfylvania.
Col. Stephen Hyland.

Joseph Hancock, of London.

Dr. Robert Harris
Afhton Humphreys, Efq; Counfellor at Law.

James Harford, Briftol, Great-Britain.
Patrick Hamilton, Efq.
Thomas Hall, Efq
Daniel Humphreys,
John Hayes.
Harrifon and Purdy.
Reading Howell.

Levi Höllingsworth, Zebulon Höllingsworth, fen.
John Hills, late an officer in the
British army
Michael Hedrick.
Thomas Howard.

* John Jay, Efq; Chief Justice of the Supreme Court of the United States, and late Secretary for the

Department of Foreign Affairs.

*Thomas Jefferson, Esq. Secretary of State, late Minister Plenipotentiary at the Court of France.

* Samuel Johnson, L. L. D. Prefident of Columbia College, and Member of the Senate of Congress.

Thomas Jennings, Efq; Counfellor at Law

+ John Ireland, Director of the Academy in Harford county.

Francis Johnson, Esq. Receiver General of the Land Office, Pennsylvania.

| Joseph James.
Doctor David Jackson.

Benjamin Johnson.

Jared Ingerfoll, Efq; Counfellor at Law.
Owen Jones, junior.
George James.

John Kemp, L. L. D. Professor of Mathematics, in Columbia

College, New-York,

John Kilty, Efq; of the Council
of Maryland

* Christopher Kucher, Esq; Member of the Supreme Executive Council, Pennsylvania.

David Kennedy, I fq; Secretary of Land Office, Pennfylvania. Solomon Kitt, of Germany. Captain Archibald Kerr. Joseph Kirkbride, Esq. Shepard Kollock. Abraham Kintzing. William Kersey, Land Surveyor, York county, Pennsylvania. John Kaighn, Esq.

L

* Thomas Sim Lee, Efq; fome time Governor of Maryland.

P. Letherbury, Counfellor and Professor of Law, Washington College.

Edward Langworthy. Efq.
 Thomas Lloyd, Efq; Counfellor at Law.

 Robert Lewis.

Robert Lewis.
George Latimer, Efq.
James Logan, Efq.
Captain Henry Lifle.
Maurice Lifle, Efq. Tortola.
Ebenezer Large.
Mordecai Lewis.

Moles Levy, Efq; Counfellor at Law

M
Thomas Mifflin, Efq; Prefident of
the Supreme Executive Council
of Pennfylvania.

S Le Comte de Moustier, Minister Plenipotentiary from the Court of France.

* Frederick Augustus Muhlenberg, Esq; Speaker of the House of Representatives.

* James Madison, Esq; M.H.R. Congress.

*Thomas M'Kean, Efq; L. L. D. Chief Justice of the Supreme Court of Pennfylvania.

**Samuel Miles, Efq; Mayor of the City of Philadelphia, and member of the Supreme Executive Council.

| Walter Minto, L. L. D. Professor of Mathematics, Princeton College.

* James Martin, Efq; Member of the Supreme Executive Council Pennfylvania.

John F Mercer, Efq; Counfellor at Law. Christian Majer, of Gottingen, Luther Martin, Efq; Attorney General of the State of Mary-

Thomas May, Efq; Burgels for the Borough of Wilmington. David M'Mechen, Efq; Counfel-

lor at Law Major Alexander M'Caskey.

George Meade, Efq. Charles Moore, M. D. John Morris, M. D. Richard Morris, Efq. Magnus Miller

Archibald M'Call. Benjamin Mason. Major Edward Moyston.

Thomas Millard. Jonathan Miller. George Mann.

John Morton. Benjamin R. Morgan, Efq; Attorney at Law.

Benjamin Morgan. Thomas Mendenhall. Christopher Marshal, jun.

Captain William Marshall, New-York.

John Nicholfon, Efq: Comptrol. ler General of Pennfylvania. John Nancarrow John Maxwell Nesbitt, Esq; one of the Aldermen of Philadelphia Philip Nicklin. Alexander Nesbitt.

+ William Otterbine. Laurence O'Neale, Efq; Member of the General Assembly, Ma-Thomas Owings. Efq; Baltimore

County. Col. Eleazer Ofwald.

William Patterson, Efq; Senator of Congress

* John Page, Efq; M. H. R. Congrefs.

* Josiah Parker, Esq; M. H. R. Congrefs.

* George Plater, Esq; President of Senate and State Convention of Maryland

|| Samuel Powel, Efq; late Mayor of the city of Philadelphia.

Baron Folnitz Ignatius Browne Palyart.

* Zebulon Potts, Efq; Member of the Supreme Executive Council of Pennfylvania.

| James Pemberton, Efq; one of the Common Council of Philadel-

John Pemberton.

Edward Pennington, Efq. George Palmer, Efq; Land Surveyor.

Charles W Peale. Robert Edge Pine. John Peadle, M. D. F. L. R. M Peadle. Ifaac Price. Stephen Page. Thomas Paschal. Captain William Pell.

R

† John Rodgers, D. D. New-York . || Thomas Rufton, M. D.

t William Rogers A. M. Professor of English and Oratory in the College of Philadelphia.

[* David Redick, Efq; late a Member of the Supreme Executive Council, and of the State Convention, Pennfylvania.

George Roberts, Ffq; one of the Aldermen of the city of Philadelphia, and a Member of the State Convention.

James Read, Efg. Colonel John Rogers, Maryland, Wi liam Rogers, New-York. Rundle & Murgatroyd.

Rice & Co. Bookfellers and Stationers.

& William Smallwood, Efq; late Governor and Commander in Chief of Maryland.

| + Samuel Stanhope Smith, D. D. Vice Prefident of the College of New Jersey. Major General the Baron Steubers

* Thomas Scott, Efq; M, H. R. Congress.

* Abraham Smith, Elq; Member of the Supreme Executive Council Pennfylvania

Doctor Benjamin Say, F. C. P. P.

Jonathan Bayard Smith, Efq, late
Prothonotary of the city and

county of Philadelphia Captain William B. Smith. Captain Clement Skerrett. Captain James Service. Daniel Sheridine. Richard Stockton, Efg.

William Spotswood, Printer and Bookseller.

Jonathan Sellman,
Jofeph Shotwell.
Thomas Seddons, Printer and
Bookfeller.
Thomas Shields.
John Strawbridge, Efq.
Abraham Shoemaker.
James Story.
Doctor — Sparhawk.

Snowden & North.

Doctor Andrew Spence.

* Thomas Tudor Tucker, Efq; M. H.
R. Congrefs.
Sir John Temple, Bart. Conful
from Great-Britain.
William Thornton, M.D.
Richard S. Thomas.
Philip Thomas, Rockland Farm.
John Todd, Efq; Counfellor at
Law.
John Thomfon,
James Trenchard.
S. 'illinghurft.
Jacob Tyfon.
Evan W. Thomas, Student at Law.

Y.
Adrian Valck, Efq; Conful of the
United Netherlands, in Maryland, &c.

General J. A. Varnum. Col. Gabriel Peterson Vanhorn. Charles Van Couver. Henry Voight.

Thomas B. Ufher,

W

† William White, D. D. Bishop of the Protestant Episcopal Church in Pennsylvania.

+ William West, D. D. Alexander Willcox, Esq; Recorder of the city of Philadelphia.

General Otho Holland Williams, Collector of the Customs at Baltimore,

Col. John Weems, Calvert county, Maryland.

Turbutt Wright, Esq; Counsellor at Law.

Baruck Williams. Efq; Prothonotary of Cecil county, Maryland. Charles C. White, Efq; Attorney

at Law.
Captain M. Willing.
Captain Willet.
John Wilfon.
Lewis Walker.
John Wilcox.
Samuel Wallis, Efq;
Amos Wickersham.
Jeffe & Robert Waln.
Ifrael Wheeling, Efq; one of the

Common Council.
Charles Wharton.
Ifaac Wharton.

William Young, Printer & Bookfeller.

CONTENTS.

CHAP. I.

Elements of Magnetism.

CHAP. II.

Solution of Several Problems.

CHAP. III.

The Objection of false Variation removed.

CHAP. IV.

Concerning the Construction of the Magnetic Atlas.

CHAP. V.

On the Nature of the Magnetic Orbits and Magnetic Meridians.

CHAP. VI.

Concerning the Materials from which the Goasts were laid down.

CHAP. VII.

Concerning the Southern Hemisphere, the Magnetic Almanac, &c.

CHAP. VIII.

Hints concerning the Cause of the Magnetic Variation.

CHAP. IX.

The Method of proving the Revolutions of the two Magnetic Points.

CHAP. X.

On the Magnetic Tides.

Tables. Appendix.

TV - CA WO FEE we will be the the test of and there, the the gratie

EXPLANATION

OF THE

MAGNETIC ATLAS,

OR

VARIATION CHART, &c.

CHAP. I.

Elements of Magnetism.

Proposition I. FROM a multitude of observations on the Magnetic Variation, in different parts of the world, at places whose situations have been well determined, it is found, that the magnetic horizontal needle hath an universal direction towards two points on the surface of the globe, at certain distances one from the north, the other from the south Pole of the earth.

Definition I. One of the points towards which the magnetic needle hath a direction, being in the northern hemisphere (for distinction) may be called the northern magnetic point.

Def. II. As the other magnetic point is at a certain distance from the fouth pole of the

earth, it may be termed the fouthern magnetic point.

Note. The northern magnetic point on the chart is distinguished by Z.

Prop. II. The northern magnetic point, in the beginning of the year 1777 was in about the latitude of 76° 4' north, and longitude 90° 58' west, from Greenwich.

Prop. III. The situation of the southern magnetic point, in the year 1777, I calculated to have been in even numbers in 72° south latitude, and 140° east longitude from Greenwich.

Postulate. As on a plain a circle can be drawn through any three points, not in a direct line; so, on the surface of a globe, a circle or curve may be drawn through any three points whatever.

Prop. IV. A circle drawn through three points on the surface of a globe, if the plane of the said circle passes through the centre of the globe, will be a great circle.

Prop. V. If through three points on the furface of a glole a circle be drawn, whose plain passes not through the centre of the earth; it will be a lesser circle.

Def. III. A magnetic meridian is a curve drawn from one magnetic point to the other, through any given part of the globe.

Def. IV. A meridian of the earth is here understood to be a semicircle, although this term is also sometimes applied to a great circle.

ic

e

n

Def. V. The angle between a meridian of the earth, and the magnetic meridian, is the variation of the compass.

Prop. VI. Although the length of the mean time taken by the jun from its departure from, until its return again to any one meridian of the earth, is well known to be just twenty-four hours, yet the mean time of the rotation of the earth on its ax s from west to east is determined and known to be 23h 56! 4.

Prop. VII. The two magnetic points have a perpetual motion, and also perform revolutions round the two poles of the earth, from west to east, as pointed out in the tables of their different situations; the northern one quicker, and the southern slower than the earth.

Def. VI. The time in which either magnetic point revolves round the pole of the earth, from a conjunction with any fixed star, until its return to the same again, may be termed its fideral revolution.

Def. VII. The time which either magnetic point requires from its leaving any one meridian of the earth, until its return to the fame again, may be termed its periodical revolution.

Prop. VIII. The fideral revolution of the northern magnetic point is 23^h 55^l 55^l 48^{lll} 50^{lll} , and its periodical revolution 426^y 77^d 9^h .

Prop. IX. The sideral revolution of the southern magnetic point is 23h 56! 4" 28", and its periodical revolution \$459 years, or thereabouts.

Prop. X. The two magnetic points are sometimes on the same meridian of the earth; sometimes on opposite meridians, and sometimes on neither.

Prop. XI. Whenever the two magnetic points are either on the same or on opposite meridians of the earth, then those meridians and the line of novariation coincide with each other.

Note. By the tables we find that in the year 1832 the fouthern magnetic point will be 136° 22' east from Greenwich, and in the year 1833 the northern magnetic point will be 43° 40' west from the same meridian, the sum of these numbers is 18° 2'. Therefore, as any two opposite meridians are always 18° a sunder, the two magnetic points about this time will be on opposite meridians. Then will the line of no variation be a meridian of the earth, when the calculation will be much more simple

Def. VIII. The line of no-variation is a line drawn through the different parts of the globe where the magnetic needle points due north.

Note. The line of no-variation is distinguished on the magnetic atlas by a broken curve line, one part of which is now to the westward of Philadelphia.

Prop. XII. The line of no-variation changes its place, as the two magnetic points change their places.

Prop. XIII. The line of no-variation alters its curvature, in proportion to the different positions of the two magnetic points.

20-

205

its

0-

e

e

Prop. XIV. Whenever the two magnetic points are neither on the same nor on opposite meridians of the earth, then those parts, where some of the magnetic meridians coincide with other parts of different meridians of the earth, will be the line of no-variation.

Axiom. If the two magnetic points were at equal distances from the two poles of the earth, and on opposite meridians, they would be diametrically opposite to each other.

Prop. XV. If the two magnetic points were diametrically opposite to each other, all the magnetic meridians would be semi-circles.

Prop. XVI. As the two magnetic points are neither at equal distances from the two poles of the earth, nor at present on opposite meridians, they are not diametrically opposite to each other: And,

Prop. XVII. As the two magnetic points are not diametrically opposite to each other, none of the magnetic meridians, except two, are arches of great circles.

Def. IX. A circle drawn every way equally distant from and between the two magnetic poles, magnetic points, or magnetic nadirs, will be the magnetic equator.

Note. The magnetic equator is distinguished in the chart by a line passing through the Indian Ocean, between the Islands of Ceylon and Sumatria.

Def. X. A point diametrically opposite the

fouthern magnetic point, may be termed the northern magnetic nadir. I

neti

neti

neti.

P

P

difta

and

each

dian

is d

P pole.

ever

wit

neti

alte

tic

mag

sles

1

glo

P

P

pass

Note. The northern magnetic nadir on the chart is diffinguished by the letter W.

Def. XI. A point diametrically opposite the northern magnetic point, may be termed the foutbern magnetic nadir.

Prop. XVIII. Although the plane of the only two magnetic meridians, which are arches of great circles, is continually changing, yet the magnetic points, the magnetic poles, and magnetic nadirs, are always in the plane of the same.

Prop. XIX. The magnetic equator divides the globe into two equal parts.

Axiom. I. Every circle dividing the globe into two equal parts, is a great circle.

Axiom II. Every great circle has two poles.

Axiom III. The two poles of every great circle are diametrically opposite to each other.

Corollary. Hence the two magnetic poles being distinct from the two magnetic points, which influence the direction of the needle, are nothing more than the poles of the magnetic equator.

Note. The northern magnetic pole is diffinguished in the chart by the letter X.

Def. XII. A right line drawn from one magnetic point to the other, may be called the magnetic pointer-axis.

Def. XIII. A right line drawn from one magnetic pole to the other, may be termed the magnetic polar-axis.

Def. XIV. A right line drawn from one magnetic nadir to the other, may be called the magnetic nadir-axis.

Prop. XX. The magnetic polar-axis, and no other, passes through the center of the earth.

Prop. XXI. The magnetic polar-axis is equally distant from and between the magnetic pointer-axis and magnetic nadir-axis, all of which are parallel to each other.

Prop. XXII. As the two magnetic points are not diametrically opposite to each other, the distance between the magnetic points and the magnetic equator, is different on different sides of the globe; but,

Prop. XXIII. The distance between the magnetic poles and the magnetic equator is always equal on every side of the globe.

Prop. XXIV. As the two magnetic points move with inequal velocities, the distance between the magnetic pole and the magnetic point undergoes a continual alteration.

Prop. XXV. As the distance between the magnetic points and the magnetic poles increase, so all the magnetic meridians which are not arches of great cirsles decrease.

Def. XV. Asthe magnetic equator divides the globe into two equal parts, for distinction, one

half may be called the northern, and the other the fo thern magnetic hemisphere.

Prop. XXVI. In each magnetic bemisphere, the magnetic pole is at any given time equally distant from the magnetic point and the magnetic nadir.

Def. XVI. Those two points at the intersection of the magnetic equator, and the equator of the earth, may be termed the magnetic equinoctial points.

Prop. XXVII. The two magnetic equinoctial points are diametrically opposite to each other.

Prop. XXVIII. The distance between the magnetic pole and the pole of the earth, in either hemisphere, is equal to the angle at either magnetic equinoctial point formed by the magnetic equator and the equator of the earth.

Prop. XXIX. Whenever the line of no-variation is the same with a meridian of the earth, if bisected by the magnetic pointer-axis, it also represents the only two magnetic meridians, which are arches of great circles.

Def. XVII. The dipping-needle is a magnetic needle sufpended on a pin, passing through its centre in a horizontal direction.

Axiom. Magnetic powers of equal force have equal influence, at equal diffances.

Corol. I. As the magnetic equator is equally distant from each magnetic point, if the dipping-needle

stood horizontal on the magnetic equator, the influence of each magnetic point would be equal.

the

the from

fec-

r of

Etial

Etial

netic

ere,

Etial

tion

Eted the

s of

etic

its

ave

Corol. II. If the influence of each magnetic point were equal, the magnetic meridians would be all circular curves.

Corol. III. If the magnetic meridians were all circular curves, they might be confidered as parts of regular polygons of an infinite number of sides, and the horizontal magnetic needle would always reprefent one of those sides.

Corol. IV. If those magnetic meridians which are not arches of great circles, be circular curves or not, the horizontal magnetic needle will make always a tangent to the magnetic meridian.

Prop. XXX. In the northern magnetic hemisphere the dipping-needle gives the north dip, and in the southern the south dip, proportionally to the distance from the place where it stands horizontal.

Prop. XXXI. The magnetic equator, as well as those two magnetic meridians, which are arches of great circles, continually changes its place.

Def. XVIII. If on a globe a number of circles be drawn parallel to the magnetic equator, they may be termed parallels of magnetic Latitude.

Prop. XXXII. If any one magnetic meridian be calculated as a great circle, which is not such, the difference of the angle of magnetic variation between the calculation and actual observation will be proportioned to the magnetic latitude.

Prop. XXXIII. If, in the same parallel of magnetic latitude, any number of magnetic meridians be calculated as great circles, which are not such, the difference of magnetic variation between the calculation and observation will be proportioned to the number of degrees on the magnetic equator, computed from its intersection with one of the two magnetic meridians, which are arches of great circles.

Def. XIX. Spherical Trigonometry is that science which teaches how to calculate the parts of triangles formed on the surface of a sphere, by three arches of great circles.

Note. The leffer circles of the sphere, by different authors on this subject, have heretofore been declared not to fall under trigonometrical calculation, not only because they are of different magnitudes, or that they have not the same radius as the great circles; but also, because their planes do not necessarily cut one and the same axis, nor pass through the centre of the sphere.

Corol. Hence as, by the present method, lesser circles of the sphere are calculated, as well as great circles, a new branch of science is obtained.

CHAP. II.

Solution of Several Problems.

PROBLEM I.

Given, the situation of the place.

Required, the variation of the compass for any time past, present, or future.

points, by the tables; fecondly, draw a curve from one magnetic point to the other, through the given place; this curve will be the magnetic meridian, and the contained angle between the magnetic meridian, thus drawn, and the meridian of the earth at the given place, is the variation of the compais for that time.

EXAMPLE.

For the time to which the chart is fitted, it is required to know the variation of the compass in latitude 44° 30′ north, and longitude 170° east from Greenwich.

First find where this meridian and parallel of latitude meet on the chart, then trace those two meridians slightly with a pencil, from the interfection, the length of the radius of the circle from which the line of chords is constructed, that they may be better distinguished.

Secondly, measure the angle between the meridian of the earth and the magnetic meridian, or between the black line and dotted line, which is the same thing, which angle is 20 degrees: and

as the dotted line runs here to the eastward of the black line, the variation is consequently 20 degrees east.

Note. Efface with a rubber the mark made by the pencil, that the chart may not be injured.

PROLLEM II.

Given, the variation of the compass, and latitude.

Required, the longitude.

Find what is the angle of variation at the interfection of the defired meridian and parallel of latitude, and when the observation of the variation is equal to the variation on the chart, the ship must be in the longitude required.

EXAMPLE I.

A ship sailing in the latitude of 50° north, on a voyage from Philadelphia to London, it is required to know when she is within twenty degrees of the meridian of Greenwich. In measuring the angle on the chart between the twentieth meridian from Greenwich and the magnetic meridian, in the latitude of 50° north, it is found to be 22° 20′ west: so that when the accurate observer finds 22° 20′ west variation in the latitude of 50° north, he knows himself to be 20° west from the meridian of Greenwich.

EXAMPLE II.

A ship is bound from Philadelphia to Lisbon, and is sailing in the latitude of 40° north; it is

required to know when she is within 15 degrees of the meridian of Greenwich: the angle between the black and dotted lines is measured at the intersection of the fortieth degree of latitude, and the fifteenth meridian from Greenwich; this angle is found to be 19° 10'; therefore, when the variation is 19° 10' west in the latitude of 40° north, the observer must consequently be within sifteen degrees of the meridian of Greenwich; and as Lisbon is 8° 52' west from Greenwich, if this is subtracted from 15°, it gives 6° 8' for the longitude of the place of observation west from Lisbon.

PROBLEM III.

To find the fituation of those two magnetic meridians, which alone are arches of great circles for any given time:

Find first the place of the magnetic points by the tables, for the time required; secondly, find either of the two magnetic nadirs which are opposite to the two magnetic points; thirdly, draw a circle through these three points, and this will always be a great circle: fourthly, bisest this great circle with the magnetic axis, which is a right line passing from one magnetic point to the other, and these two parts will represent those only two magnetic meridians which are arches of great circles for any given time.

EXAMPLE.

For the beginning of the year 1794 (the time for which the chart is constructed) we find, by

the tables, that the northern magnetic point will be 76° 37' 17" west from Greenwich, and that in the year 1792 the fouthern magnetic point will be 139° east from the same meridian: as the fouthern magnetic point alters its place by flow degrees, two years will make but a fmall difference. Then seeing it is self-evident that two opposite meridians are always 180° apart, because 139° added to 41° are equal to 180°, the northern magnetic nadir must be 41° west from Greenwich, and the same distance from the equator as the fouthern magnetic point; therefore, a circle drawn through the northern magnetic point Z, the northern magnetic nadir W, and the fouthern magnetic point, will be a great circle; and if this circle is bisected by the magnetic axis, thefe two parts will be the only two magnetic meridians which are to be arches of great circles for that time.

PROBLEM IV.

To find the fituation of the magnetic equator for any given time:

Find first the situation of those two magnetic meridians which are arches of great circles for the time required, by the last problem; secondly, find a point in one of those magnetic meridians which are arches of great circles, half way between the magnetic point and magnetic nadir; this will be the magnetic pole: thirdly, draw a circle every way 90° distant from the magnetic pole, which will be a great circle, and will be the magnetic equator.

EXAMPLE.

The northern magnetic pole is distinguished on the chart by the letter X; and if a great circle is drawn every way 90° distant from X, it will pass between the islands of Ceylon and Sumatra, and will be the magnetic equator for that time, as will appear by the name thereof on the chart.

CHAP. III.

The Objection of falle Variation removed.

F occasion should require, it will be very easy to compare the Magnetic Atlas with Captain Cooke's observations; and although the agreement may not be exact, this will be accounted for, from several causes: First, the variation of the compass at the same place being subject to change, the length of time between Cooke's last observations, and the time for which the Magnetic Atlas is constructed, will cause a considerable difference: Secondly, notwithstanding Captain Cooke, and the officers who bore him company, were possessed of very great abilities in the line of their profession, -- perhaps, neither the variation of the needle, nor the fituation of the place where it was observed, was at all times truly determined. The principal cause of false variation has been, with great reason, attributed to the influence which the iron on board the ship has over the magnetic needle: it was, therefore, natural to consider, how this main objection

might be overcome. The following method has been found, by actual observation and experiment, to have the defired effect:

It is nothing more than fixing a true meridian on the shore, out of the reach of the attraction of iron: here the variation is taken by different compasses on this meridian; and if they are all true, they give the same variation at the same time and place; then, before the ship sails, the variation is taken on board, having the ship turned, if occasion should require, on every point of the compass; and, by noting the difference between the true variation on the true meridian, and the salse variation on board, a a table of difference may be constructed, which perhaps will always give the allowance necessary to be made for salse variation, throughout any voyage.

It is well known, that on land there is no difficulty in determining the longitude by Jupiter's fatellites: if the true fituation of any coast, and the situation of the magnetic points for any given time, are known, it is easy to find the true variation by calculation; so that if bodies of iron ore upon the sea shore should even influence the needle, the difference between the variation by calculation and observation will consequently be the allowance for false variation: By this method the variation may be very easily corrected, with a little care.

Sometimes the variation by amplitude has been different from that by azimuth: this difficulty appears to be removed in a very fatisfactory man-

ner in Professor Van Swinden's letter, published in the appendix, to which I must beg leave to refer.

となるのとなるのとなるのとなっ

CHAP. IV.

Concerning the Construction of the Magnetic Atlas.

THE main object in view, has been, to prove the principles of the plan; and, as most of the places from which the proofs are drawn, are computed from the meridian of Greenwich, I have also called this the first meridian; supposing, the observations could be compared with less trouble on the present chart, which is constructed in such a manner, that, if the blank gores were cut out, the remainder would sit and cover half a globe, forty-eight inches in circumference. These blank spaces, as they become very narrow in the latitude of sixty, were made to terminate in that degree; whereas, if they had been continued to the pole of the earth, the chart would, consequently, have been more correct.

Moreover, this method of projecting the fphere with the magnetic meridians, will perhaps, upon inspection, be found to shew the proportions of each country, as well as the nature of the curves formed by the magnetic meridians, better than upon Mercator's projection, on which the Hallean lines are delineated. As the present projection may serve not only for a chart, but for covering globes, if occasion should require.

CHAP. V.

On the Nature of the Magnetic Orbits and Magnetic Meridians.

Y the tables of the places of the two magnetic points, they are represented to have an equable and uniform motion; the orbits are likewife described on the chart to be circular; but, as the antient magnetic observations seldom appear so correct as could be defired, --- if future experience should prove them to be in any degree elliptical, the progress of the magnetic points, therein, will probably be precisely conformable thereto. All the earth's meridians are distinguished by black lines, and the magnetic meridians by dotted lines. The magnetic meridians are all projected as circular curves, although, as demonstrated in the magnetic elements, none except two are arches of great circles. If future experience should even prove that the influence of one magnetic point should be greater than that of the other, which feems in some degree to be the case, as this proportion will be better established by a little more experience, there appears not the least doubt but they will always be included within the most rigid rules of calculation: had the encouragement been sufficient, it would have been highly necessary that the scale on which the work was laid should have been confiderably larger in proportion to the radius of the circle, on which the line of chords is constructed; for if the radius of this circle had been shorter than is delineated on the corner of the magnetic atlas, there would have been an

inconveniency; as the odd minutes of magnetic variation could not have been measured with so much exactness: therefore I have constructed the lines of chords, sines, tangents, &c. by a circle, whose radius is two inches, being the same length as those on Gunter's scale. But if any causes should occasion, on the chart, the angle at the place of observation between the magnetic meridian and the meridian of the earth to measure more or less to the northward than the southward, a mean is recommended to be taken for the true variation.

CHAP. VI.

Concerning the Materials from which the Coasts
were laid down.

TT is generally allowed, that the greatest danger in navigation, is near the coast of a country: On this account, every coast should be laid down with the greatest care. I hold myself under many obligations, for the affiftance which I have had from the works of many of the most able geographers and modern circumnavigators, whose labours have been of infinite service in this undertaking; as well on the coasts of the old world, as of the new discoveries: but, as they have also been obliged, in many instances, to depend on the observations of their predecesfors, --- I hope not to be blamed on this account; as this indulgence is univerfally allowable. The Magnetic Atlas may therefore be faid to be composed, not only from my own knowledge in

t

America, but also from a collection of many works of the best authority, and from the most accurate astronomical observations: yet, if any errors should be incorporated therein, they will be best rectified by future experience.

CHAP. VII,

Concerning the Southern Hemisphere, the Magnetic Almanac, &c.

T appears to be a matter of the most consequence, to publish, first, the Northern Hemisphere, as it is navigated much more than the southern; and the truth and utility of this chart will the sooner be brought to the test. However, I have also in hand a chart of the Southern Hemisphere, on the same projection; which will be applied to use with much more exactness, than the present,---seeing the southern magnetic point is much nigher to the equator of the earth than the northern magnetic point; and consequently, the variation of the compass alters more in the southern hemisphere, in proportion to the distance run.

But if the smallness of the scale, or any combination of causes, should conspire to render these charts in any degree imperfect; these objections will probably be all overcome, in another new work, to be entitled, The Magnetic Almanac, containing an universal set of tables, shewing what latitude and variation correspond with any part of any meridian; and made easy to the

most common capacity, without the trouble of measuring angles: This work has been some time preparing for the press; and will be the result of tens of thousands of calculations.

…か…の…か…の…か…の…か…

CHAP. VIII.

Hints concerning the Cause of the Magnetic Variation.

NDING it now universally admitted, that two magnetic points, not diametrically opposite to each other, are sufficient to account for the variation in all the different parts of the earth, and to correspond with observation; there must, necessarily, be a cause for the needle having an universal direction towards these two magnetic points; and this cause must either be below the furface of the earth, or above the same. The celebrated Doctor Halley supposed the cause to be below the surface, and communicated by the earth: --- but the northern magnetic point is found to move faster than the earth, from west to east, as will appear by the tables. And, as it is an axiom long established, that " No cause can give what it has " not itself,"---it is left to the judgment of others, whether, or not, the earth can give a swifter motion, than it has itself, to a nucleus therein contained. With a view to experiments, I have made several trials to embark on a voyage to that part of Baffin's Bay, where the north point of the needle is attracted: hoping that some observations might be made, as well

to determine how nearly the variation could be ascertained, as to throw some light on this mysterious principle, in the expectation, that they might probably pave the way to other difcoveries: and apprehending, likewise, there would be no difficulty in failing to the northern magnetic point; because navigators have frequently failed near five degrees further north. although on another side of the globe. I have also been induced to contemplate such an undertaking at this time, because this year began with very moderate weather, which continued for the most part, so very mild, that it is thought, by some accurate observers, to have been the most moderate winter during the memory of man; and therefore it was natural to conclude, firstly, that there was less ice made this winter, than commonly; fecondly, that the lefs ice there is made in winter, the fooner it would melt in the fpring; thirdly, that the fooner the ice should dissolve in the fpring, the longer would be the ensuing summer in the northern regions.

These several conclusions caused me to strain every nerve, to perform the proposed voyage: but, as the publication of the present chart had been promised a considerable time, it was thought it could not, with propriety, be delayed any longer. The desire of making use of this favourable time to go abroad caused the work to be too much hurried: so that whatever may be the faults in the execution, it is hoped the many respectable subscribers, and others, will bestow upon it their usual candour, and give it a favourable reception; without support

be ny-

hat

lift

ere

rn

e-

h,

ve

er-

ith

he

ne

ond

at

nde

5;

in n-

in

. .

rt

15

d

0

0

e

e

fing that the principles will be affected thereby. Hoping, on my part, that these labours will eventually prove useful to mankind; and, by lessening the dangers of the sea, that those brave and useful citizens who are employed on the watery element, may be secured from at least a part of the numerous casualties and distresses to which they are daily exposed in navigating the trackless ocean; and that I may thus become an humble instrument, in the hands of Providence, to prolong the lives of many of my fellow-men.

CHAP. IX.

The Method of proving the Revolutions of the two Magnetic Points.

I may, perhaps, not be improper to add fomething concerning the manner in which the periods of the revolutions of the two magnetic points are proved: for this purpose, recourse has been had to actual observations of the magnetic variation, made at different times, in both hemispheres, at several places, the situations of which have probably been well determined.

Istly, In the beginning of the present year, 1790, the longitude of the northern magnetic point, as appears by the tables, is calculated to be 80° west; the southern magnetic point, in 1787, is found to be 139° 20' east; and the city of Philadelphia being in latitude 39° 56' 55" north, and longitude 75° 13' 30" west, all computed

from Greenwich; the variation of the compass here is 1° 57' west; a magnetic meridian drawn from one magnetic point to the other, through the city of Philadelphia, makes an angle with this meridian of 1° 57', which is found to agree with the real fact.

adly, In the year 1657, by the tables, the northern magnetic point is placed in 167° 39' east, and the southern one 147° 54' east from the same meridian. This year, the magnetic needle at Greenwich, or London, pointed due north; and as the magnetic needle is always a tangent to the curve formed by the magnetic meridian, if this curve is drawn for the year 1657, from one magnetic point to the other, through the city of London, the magnetic needle, at that time and place, will be a tangent to the curve; then there will be no angle between the magnetic meridian, thus drawn, and the meridian of London.

3dly, In the year 1642, by the tables, the northern magnetic point was in 154° 59' east, and the southern one in 148° 54' east. In this year Tasman visited Van Diemen's Land, where it is reported by him, that the needle pointed due north. The situation of Adventure Bay, in Van Diemen's Land, being ascertained by Captain Cooke, in the year 1777, to be in 43° 21' south latitude, and 147° 25' east longitude: If a curve is drawn from one magnetic point to the other, through Adventure Bay, for the year 1642, this curve will coincide with the meridian of the earth at this bay, as was really the case, according

ding to Tafman's observation. This will, no doubt, be a fatisfactory proof, to fuch who have leifure to try the experiments; but it may be supposed, by some, that as there was no variation this year at this place, the fouthern magnetic point must have been on the same meridian of the place where the magnetic needle points north: if the two magnetic points had been either on the same, or on opposite meridians, this must have been the case, according to the foregoing elements; but although they were within 6° 5' of the same meridian, this difference is sufficient to cause the line of no-variation not to be a meridian of the earth. A mistake of this fort I at first fell into; for on reading that there was no variation at London in the year 1657, I concluded that the northern magnetic point was just 180° from that place, without sufficiently considering, that the fouthern magnetic point was then neither on the same nor on opposite meridians; which caused an error in the revolution of the northern magnetic point, which now stands rectified in the present chapter: But if, by future observations, the period of either should be found not quite so exact as the length of a year, this, it is hoped, will be pardonable, feeing the precise length of a year has not been long determined, notwithstanding the many volumes of astronomical observations during so many centuries. Thus, having sufficient data to prove nearly in what parts of their orbits the magnetic points were in former times, the next thing will be to try how near the periods will agree with the tables of the two magnetic points. I shall treat first of the periodical and sideral revolution of the northern one. In the beginning of this prefent year, 1790, we find, by calculation, that the northern magnetic point is 80° west; and in 1657 it was 167° 39' east from Greenwich, we have 80° $_{+}$ 167° 39' = 247° 39'; then if we take the number of degrees round the earth $360^{\circ}-247^{\circ}$ 39'= 112° 21'. Also Anno Dom. 1790–1657=133 years; then as 112° 21': $360^{\circ}::133^{\circ}:426^{\circ}77^{\circ}9^{\circ}54^{\circ}$. Then for the sideral revolution of the northern magnetic point, As $426^{\circ}77^{\circ}9^{\circ}54^{\circ}:360^{\circ}::23^{\circ}56^{\circ}4^{\circ}:8^{\circ}18^{\circ}9^{\circ}$ then we take the length of a sideral day, $23^{\circ}56^{\circ}4^{\circ}-8^{\circ}18^{\circ}9^{\circ}=23^{\circ}55^{\circ}55^{\circ}41^{\circ}51^{\circ}18^{\circ}$; this will be the sideral revolution required.

Secondly, for the periodical and fideral revolutions of the fouthern magnetic point found, by calculation, from the observations of Capt. Cooke, in the fouthern hemisphere, in the year 1777, that the fouthern magnetic point was in even numbers 140° east longitude from Greenwich; and by Tasman's observation, in the year 1642, a like calculation is made, by which the Southern magnetic point is found to be in about 148° 54' 9" 27" east, then we have 148° 54 9" 27" — 140° = 8° 54′ 9" 27". Likewise 1777 — 1642=135 years; then as 8° 54' 9" 27" : 360° :: 1359: 5459 years for the periodical revolution of the fouthern magnetic point. And for the fideral revolution of the fouthern magnetic point, we have the following proportion, viz. As 5459 =172,269,335,460": 360°=77,760,000": : 23 561 4"=86164": 38" + 23h 561 4"= 23h 561 4" 38" for the fideral revolution of the fouthern magnetic point.

CHAP. X.

On the Magnetic Tides.

ah, Ogyges, and Deucalion, we have innumerable other accounts of the waters of the ocean making less remarkable encroachments on the shores at particular times and places, and returning to their former bounds. If it were necessary, a multitude of instances might be produced; though, were I only to hint at one twentieth part of those which might be enumerated, they would far exceed the proposed bounds of the present work. Among the writings of the antient Romans, some accounts of this fort stand recorded in Ovid's Metamorphoses,

- " I've seen the solid earth transform'd to sea,
- " And water also turn to solid land,
- " Fishes' shells lie distant from the ocean,
- " And rusty anchors on the tops of mountains!

And Horace fings, that

n

e

10

1

e

IIII

e

)-

is

of

ae

as n-

ar ne

ut

4

u-

he

ıt.

- " Fishes swam in bushy groves,
- " Once the well known perch of doves.

The author of the History of the Earth and Animated Nature gives many instances confirming the same opinion, and adds, that the seas being thus seen to give and take away lands at pleasure, is, without question, one of the most extraordinary considerations in all natural history. In some places, he says, it is seen to obtain the superiority by slow and certain approaches; or to burst in at once, and overwhelm all things

in undistinguished destruction; in other places it departs from its shores, and where its waters have been known to rage, it leaves fields which foon become covered with the most beautiful verdure; and in another place, "that all this is wonderful; and perhaps, instead of attempting to enquire after the cause, which has hitherto been inscrutable, it will best become us to rest satisfied with admiration." I have taken some pains in making a collection of all the accounts of this fort within my reach, and find that the low countries, the United Netherlands in particular, have often been overflowed: I shall at present select only three of the last which have happened in that champaign country. The first of the three was about the year of our Lord 570, when Turonens fays, that even the people of part of France were almost swallowed up by inundations; that Italy also suffered prodigiously, and the whole wall of Lyons was thrown down.

Secondly; Henry the first, of England, was born in the year 1068, and in his time there happened a mighty inundation, which extended to Flanders; whereby a great part of that country was irrecoverably lost, and many of the poor distressed people, being bereft of their habitations, came over to England; King Henry, taking compassion of their distress condition, and also considering that they might be beneficial to his subjects, by instructing them in manufactures, he first settled them about Carlisse, and afterwards removed them into South Wales, where many of their posterity are reported by the celebrated Ray to be remaining in his time.

About this time also, a large estate, or island, the patrimony of Earl Goodwin, containing about 4000 acres, was overflowed by the ocean, and was afterwards called the Goodwin tands.

The last inundation of note which happened in Holland, was in the year 1446, when the rea gradually swelled, until it broke in at Dort, and drowned one hundred thousand persons, and a greater number about Dullart: two or three hundred villages are declared, by Ray, to have been laid under water, leaving the tops of steeples and towers visible when the tide was out.

If we only contemplate the time between these former inundations, and conceive that what has happened heretofore may also come about again, may not we then, in the approaching century, at the same place, expect the like event?

After collecting various accounts of inundations which have happened in different parts of the world, and in different ages, and after their arrangement in chronological order, there is found a very remarkable agreement between them and the periods of revolution of the magnetic points. Hence, from a variety of deductions, the following conclusions are drawn.

Ift. That as the periodical revolution of the northern magnetic point is in even numbers, about 426 years, whenever this alone comes on the meridian of any place, the waters of the ocean gradually swell to such a degree, as to overflow all low flat lands near its borders, which may be termed a magnetic tide.

2d. That as the periodical revolution of the fouthern magnetic point is about 5,429 years, when the two magnetic points are in conjunction, the ocean swells to such a degree, as gradually to cover the high grounds, which may be termed a magnetic spring tide.

3. That at the times of the deluge of Noah, of Ogyges, and Deucalion, the two magnetic points, from their rate of revolution, were both near the meridian of those places where they happened respectively, and never since.

According to the best accounts, Noah's deluge was 2349 years before the birth of Christ, and Deucalion's deluge 1500 years before the fame Then 2349—1500=849—426=423; and as the period of the northern magnetic point is about 426, these two deluges make within three years of two revolutions of the northern magnetic point. But the famous deluge of Ogyges happened between that of Noah and Deucacalion. Ogyges was King of the Thebans, or, as some say, of Ogygia and Acte, afterwards Boeotia and Attica; he is recorded to have been the first founder of Thebes and Eleusin: some affirm that he perished with all his subjects 1796 years before Christ. In Ray's Physico Theological discourses, the deluge of Ogyges is said to have laid waste the country where it happened, almost two hundred years. I therefore suspect the time commonly allowed for that event is the time in which the waters abated, otherwise there would have been so little time between the deluges of Ogyges and Deucalion as not to distinguish them apart. The northern magnetic point must have been near the meridian of Athens, in Greece, at the deluge of Noah, according to its rate of revolution. Athens is 24° east longitude from Greenwich, and the northern magnetic point in 1790 is 80° west from the same meridian. We have 80° + 24°=104°; then round the earth is 360° - 104°=256°; likewise 360° × 9 revolutions = 3240° + 256° = 3496° Also Noah's deluge before Christ 2349 + 1790=4139; then as 4139°: 3496°::1°: 50'40" 44" for its annual rate, which is found to agree with the tables to a minute.

Then, in order to try the agreement of the fouthern magnetic point, according to the revolution it must have been, at the beginning of the deluge of Ogyges, near the meridian of Athens, 24° east longitude from Greenwich, and in 1777 it was 140° east by calculation and the tables; We have 140—24=116, and the degrees round the globe 360°—116°=244° for the number run since the deluge of Ogyges. Then from the beginning of this deluge, before Christ, 1923 y + 1777=3700 years; then as 244°: 3700y:: 360°: 5459 years, which agrees exactly with the tables and calculation in the last chapter, and I hope none will imagine an inconsistency with the dignity of the Deity, in acting by secondary causes in this case, as well as many others.

Diodorus Siculus, in his fifth book, gives an antient flory, current among the Samothracians, that before any other floods recorded in history,

there was a very great deluge that overflowed a good part of the coast of Asia, and the lower grounds of its islands, when the Euxine sea first broke open the Thracian Bosphorus and Hellespont, and drowned all the adjacent countries.

Many of the moderns seem to think that the account of the great island of Atlantis, mentioned by the antients, is not altogether fabulous, and that America agrees to the description thereof: it is reported to have funk under water, at a time answerable to the two magnetic points being in conjunction on this fide of the world. The most distinct account of this extensive country is mentioned in the Timaeus of Plato, according to the following abridgement. The Atlantis was a large island in the Western Ocean, situated before or opposite to the Straits of Gades (or Cadiz, near Gibraltar.) Out of this island there was an easy passage into some others, which lav near a large continent exceeding in greatness all Europe and Asia. Neptune settled in this island. (from whose fon Atlas its name was derived) and divided it among his ten fons. To the youngest fell the extremity of the island called Gadir, which, in the language of the country, fignifies fertile, or abundant in sheep. At length, the island sunk under water, and for a long time afterwards the fea thereabouts was full of rocks and shelves.

As the isthmus of Darien is so very narrow, perhaps South America itself was the island of Atlantis, and North-America nothing less than

that great continent described by Plato. It is true that petrified sea shells are often found in layers on high ground, and the natives of this country have a tradition of its being overflowed. Lewis Evans, in a note in his first map of the American colonies, declares, we have glaring marks of a deluge in America of a more recent date than those of the old world. Nay, Thomas Jefferson, Esq; the Secretary of State, in his notes on Virginia, and Charles Thomson, Esq; late Secretary of Congress, in an appendix thereto, both give us very pertinent and entertaining remarks on this subject. General Lincoln, likewife, in a letter to the President of the Univerfity of Cambridge, in Massachusetts, which is published in the Memoirs of the American Academy of Arts, makes some ingenious observations pointing the same way. To these several valuable works I must beg leave to refer.

Since the Settlement of North-America, by Europeans, it is manifest that the sea has made considerable encroachments on the land; on the eastern coast of this country a multitude of evidences are visible, which agree with this hypothesis; as in Nova-Scotia the stumps of trees are seen twenty feet below the common high water mark. On the banks of Delaware river, lives a poor old illiterate man, who has distinguished the highest tide which has happened every year for many years, by a notch on a tree near the shore; he has continued his observations, until his marks have mounted one above another in a surprising manner; and some men are still living in Dela-


ware State, who have reaped wheat on grounds which are now converted to falt marsh. Chefapeak Bay, when the lands were first surveyed, some of them were bounded by marked trees, which then stood on dry ground, and now their stumps stand under water; also, in some places, where orchards were planted near the shore, the waters have encroached to such a degree as to kill the fruit trees: at one place a burying-ground is now part dashed by the waves, which was once at a distance from the shore. In Capt. Bernard Romans's Natural History of Florida, vol. I. page 20, he describes a number of stumps which are only to be seen at low water: he believes them to be the ruins of antient forests, on which the sea has made an encroachment.

A Table

OF THE PLACE OF THE NORTHERN MAGNETIC POINT,

For the beginning of each Year, from the time of its leaving the Meridian of Greenwich the last time (which was in the Year 1459) until its return to the same Meridian again, which will be in the Year 1884, including one full period, or 426 Years, 77 Days, 9 hours, or thereabouts, moving at the rate of 50 40 44 44 of Longitude in a Year.

| THE EAST. 1 EAST. EAST. | ± € West. ₩ € West. | 15 51 Weft, 115 51 Weft. |
|---|--|---|
| Eaft. | Welt. Welt. Welt. | Weft. Weft. Weft. |
| | 1672 179 40 06 22 1727 133 12 46 12 | 1782 86 45 25 52 1837 40 18 05 22 |
| | 1673 178 49 25 48 1728 132 22 05 28 | |
| | | |
| | | 1784 85 04 04 24 1839 38 36 44 04 |
| 1462 2 57 19 28 1517 49 24 39 48 1572 96 42 40 52 1628 143 10 01 12 | | 1785 84 13 23 40 1840 37 46 02 20 |
| 1463 3 48 00 12 1518 50 15 20 32 1574 97 3 21 36 1620 144 00 41 56 | | 1786 83 22 42 56 1841 36 55 22 36 |
| 1464 4 28 40 56 1519 51 06 01 16 1575 98 24 2 20 16 20 144 51 22 40 | | 1787 82 32 02 12 1842 26 441 52 |
| 1465 5 20 21 40 1520 51 56 42 00 1576 90 14 42 04 1631 145 42 02 24 | 1678 174 36 02 00 1733 128 08 41 48 | 1788 81 41 21 28 1843 35 1 01 08 |
| 1466 6 20 02 24 1521 52 47 22 44 1577 100 05 23 48 1672 146 32 44 08 | 1679 172 45 21 24 1724 127 18 01 04 | 1789 80 50 40 44 1844 34 22 20 24 |
| 1467 7 10 42 08 1522 53 38 03 28 1578 100 56 64 22 1623 147 22 24 52 | 1680 172 54 40 40 1735 126 27 20 20 | 1790 80 00 00 00 1845 32 22 29 40 |
| 1468 801 23 52 1523 54 28 44 12 1579 101 46 45 16 16 24 148 14 05 36 | | 1791 79 09 19 16 1846 22 41 58 56 |
| 1460 8 52 04 36 1524 55 19 24 56 1580 102 27 26 00 1625 149 04 46 20 | | 1792 78 18 38 32 1847 31 51 18 12 |
| 1470 9 42 45 20 1525 50 10 05 40 1581 102 28 36 44 163 1 40 55 27 04 | | |
| 147110 33 26 04 1526 57 00 46 24 1582 104 18 47 28 1637 150 46 07 48 | | |
| | | 1794 76 37 17 04 1849 20 09 56 44 |
| 1472 11 24 06 48 1527 57 51 27 0 1582 105 00 28 12 1638 151 36 48 32 | | 1795 75 46 36 20 1850 29 19 10 00 |
| 1473 12 14 47 32 1528 58 42 07 52 1584 106 00 08 46 1629 152 27 29 16 | | 1796 74 55 55 36 1851 28 28 35 16 |
| 1474 13 05 28 16 1529 50 22 48 36 158 5 106 50 40 40 1640 153 18 10 00 | | 1797 7405 14 52 1852 27 27 54 32 |
| 1475 13 56 09 00 15 30 60 22 20 20 1586 107 41 20 24 1641 154 08 50 44 | 1688 166 09 14 48 1743 119 41 54 28 | 1798 73 14 34 08 1853 26 47 12 48 |
| 1476 14 46 40 44 1521 61 14 10 04 1587 108 22 11 08 1642 154 50 31 28 | 1689 155 18 34 04 1744 118 57 13 44 | 1799 72 23 53 24 1854 25 56 20 04 |
| | 1690 164 27 53 20 1745 118 00 33 00 | 1800 71 33 12 40 1855 25 05 52 20 |
| 1479 16 28 11 12 1533 62 55 31 32 1580 11 12 32 36 1644 156 40 52 56 | | 1801 70 42 31 56 1856 24 15 11 36 |
| | 1692 162 46 31 52 1747 116 19 11 32 | 1802 69 51 51 12 1857 22 24 26 52 |
| | 1693 161 55 51 08 1748 115 28 30 48 | 1802 6901 10 28 1855 22 32 10 08 |
| | 1694 161 05 10 24 1749 114 37 50 04 | 1804 68 10 29 44 1859 21 43 09 24 |
| | | |
| | | |
| | 1696 159 23 48 56 1751 112 56 28 36 | 1806 66 20 05 16 1861 20 01 47 6 |
| | 1607 158 23 08 12 1752 112 05 47 52 | 1807 65 38 27 32 1562 19 11 7 12 |
| | 1698 157 42 27 28 1753 111 15 07 08 | 1808 64 47 46 48 1863 18 20 21 23 |
| | 1600 156 51 46 44 1754 110 24 26 24 | 1800 63157 604 1864 17 29 45 64 |
| | 1700 156 01 06 00 1755 109 33 45 40 | 1810 63 06 25 20 1865 16 39 05 00 |
| | 1701 155 10 25 16 1 756 108 43 04 56 | 1811 62 15 44 36 1866 15 48 2. 16 |
| 1489 25 45 20 16 1544 72 12 59 26 1600 119 31 00 40 1655 165 58 21 00 | 1702 154 19 44 32 1757 107 52 24 12 | 1812 61 25 00 52 1867 12 57 40 32 |
| | 1702 152 29 02 48 1758 107 01 42 28 | 1813 60 24 22 08 1868 14 67 02 48 |
| | 1704 152 38 2 2 04 1750 166 11 02 44 | 1814 59 45 42 24 1869 13 16 22 04 |
| | 1705 151 47 42 20 1760 105 20 22 00 | 1815 58 52 01 40 1870 12 25 41 20 |
| 1403 29 8 22 12 1540 75 35 42 22 1604 122 52 43 36 1650 160 21 03 56 | | 1816 58 02 20 56 1871 11 25 00 26 |
| | 1707 150 06 20 52 1762 163 20 00 22 | 1817 57 11 40 12 1872 10 44 10 52 |
| 1404 29 30 40 43 40 1550 77 17 04 20 1606 124 35 05 02 1661 171 02 25 24 | 1708 140 15 40 08 1 762 102 48 10 48 | 1818 56 20 50 28 187 9 53 48 |
| | 1709 148 24 59 24 1764 101 57 39 04 | 1819 55 30 18 44 1874 9 02 48 24 |
| | 1710 147 34 18 40 1765 101 06 58 20 | 1820 5439 38 00 1875 8 12 17 40 |
| | | |
| 1408 23 21 45 52 1553 70 40 06 12 1600 127 07 07 16 1664 172 24 27 26 | 1711 146 43 27 56 1 766 100 16 17 36 | 1821 52 48 57 16 1876 72 126 56 1822 52 58 16 32 1877 6 20 56 12 |
| | 1712 145 52 57 12 1767 99 25 36 52 | |
| 1500 35 03 07 20 1555 81 30 27 40 1611 128 48 28 44 1666 175 15 49 04 | 1713 145 02 16 28 176 98 24 56 08 | |
| | 1714 144 11 25 44 1769 97 4-15 24 | 1824 51 16 55 04 1870 4 49 3 44 |
| | 1715 142 20 55 0 1770 96 50 24 40 | 1825 50 26 14 26 1880 2 58 54 00 |
| 1502 27 25 100 22 1558 84 02 20 52 1614 121 20 20 56 1660 177 47 51 16 | | 1826 49 35 22 26 1881 2 08 12 16 |
| 1504 28 25 50 16 1550 84 52 10 26 16 15 122 11 11 40 1670 178 28 22 00 | 1717 141 39 22 2 1772 95 12 13 12 | 1827 48 44 52 52 1882 217 22 22 |
| 1505 20 16 21 20 1560 85 43 51 20 1616 122 01 52 24 1671 179 29 12 44 | 1718 140 48 52 48 1773 94 21 32 28 | 182 4 54 12 08 1282 1 26 51 48 |
| 1505 40 07 11 44 1561 86 24 22 04 1617 122 52 22 108 | 1710 120 58 12 04 1774 93 20 51 4 | 1829 47/07/21/24 1884 0/36/11/04 |
| 1507/40/57/52/28 1562/87/25/12/48 1618/124/43 12/52 | 1720 130 07 21 20 1775 92 40 11 00 | 1820 46 12 51 40 |
| 1509/41/48/22/12/1562/88/15/52/22/1610/125/22/52/36 | 1721 128 16 50 26 11776 91 49 20 16 | 1821 45 22 00 56 |
| 1500 42 30 172 156 1756 4 180 106 34 176 176 20 1736 124 175 120 | 1722 137 26 00 52 1777 00 59 40 33 | |
| 1510 42 22 54 40 156 5 9 0 57 15 100 1621 127 15 16 104 | 1722 126 25 20 08 1778 00 08 08 48 | 1823 43 40 48 28 |
| 7511 44 20 25 24 1566 00 40 55 44 1622 138 05 56 48 | 1724 125 44 48 22 1770 80 17 28 0 | |
| 1512 45 11 16 08 1567 01 28 26 2-11623 128 56 27 22 | | 1825 41 59 27 00 1 |
| 1512451111668 15070112 1624120 271816 | 1726 124 2 26 56 1781 87 26 06 2 | |
| 1514[46]52[37]36 1569[93]19[57]56 1625[140[37]59[00] | 1727 133 12 46 12 1782 86 45 25 5 | |
| 1214[40]24[27]26[12508[95]14[27]24[27]24[27]24[27] | Handle Sales Included to see a studies is | |
| | | |
| | THE PARTY OF THE P | |



OF THE PLACE OF THE SOUTHERN MAGNETIC POINT,

From within a Century of the time of the Creation (according to the Mofaic account) until the year of our Lord 3877, including a period of 7800 Years, as it is found to change its place, at the rate of 6° 35' 40" 32 " in a hundred Years, the Longitude computed from the Meridian of Greenwich.

115 51

Eaft.

115 11

| Befo | Chr. O Chr. | Afte Chri | Chri | After Chris |
|-----------------------------------|-------------------|--|-------------------------------------|--|
| 3923 155 33 30 40 | 77 107 53 30 40 | | | |
| 3823 149 17 50 08 | 177 114 29 11 12 | 1482 159 27 14 41 | 1682 146 15 53 19 | |
| 3723 142 42 09 36 | 277 121 04 51 44 | 1492 158 47 40 39 | 1687 145 56 06 18 | 1977 126 48 39 02 |
| 3623 136 06 29 04 | 377 127 40 32 16 | 1497 158 27 52 38 | 1692 145 36 19 17 | 2077 120 12 58 30 |
| 3522 129 30 48 32 | 477 134 16 12 48 | 1502 158 08 06 27 | 1702 144 56 45 15 | 2177 113 37 17 58 |
| 3423 122 55 08 00 | 577 140 51 52 20 | 1507 157 48 19 26 | 1707 144 36 58 14 | 2277 107 01 37 26 |
| 3222 116 19 27 28 | 677 147 27 33 52 | 1512 157 28 32 35 | 1712 144 17 11 13 | 2477 93 50 16 22 |
| 3223 109 42 46 56 | 777 154 03 14 24 | 1517 157 08 45 24 | 1717 143 57 24 12 | 1200 |
| 3123 103 08 06 24 | 877 160 38 54 56 | 1522 156 48 58 33 | 1722 143 37 37 11 | 2677 80 38 45 18 |
| 3023 96 32 25 52 | 977 167 14 35 28 | 1527 156 29 11 32 | 1727 143 17 50 10 | 2777 74 03 14 46 |
| 2922 89 56 45 20 | 1077 173 50 16 00 | 1532 156 09 24 31 | 1732 142 58 03 09 | 2877 67 27 34 14 |
| 2823 83 21 04 48 | 1177 179 34 03 28 | 1537 155 49 37 30 | 1737 142 30 16 08 | 2977 60 51 53 42 |
| 2723 76 45 24 16 | | 1542 155 29 50 29 | 1742 142 18 29 07 | 3077 54 16 13 10 |
| 2623 70 09 42 44 | Eaft. | 1547 155 00 03 28 | 1747 141 58 42 06 | 3177 47 40 22 38 |
| 2523 63 34 03 12 | 1277 172 58 22 46 | 1552 154 50 16 27 | 1752 141 38 55 05 | 3277 41 04 52 06 |
| 2422 56 58 22 40 | 1377 166 22 42 14 | 1557 154 30 29 26 | 1757 141 19 08 04 | 3377 34 29 11 34 |
| 2323 50 22 42 08 | 1477 159 47 01 42 | 1562 154 10 42 25 | 1762 140 59 21 03 | 3477 27 53 31 02 |
| 2223 43 47 01 36 | | 1567 153 50 45 24 | 1767 140 39 34 02 | 3577 21 17 50 20 |
| 212 37 11 21 04 | | 1572 153 31 08 23 | 1772 140 19 47 01 | 3677 14 42 09 58 |
| 2022 20 35 40 22 | | 1577 153 11 21 22 | 1777 140 00 00 00 | 3777 8 06 29 26 |
| 1922 24 00 00 00 1823 17 24 10 28 | | 1582 152 51 34 21 | 1782 139 40 12 59 | 3877 1 30 48 54 |
| 1822 17 24 19 28 | | 1587 152 31 47 20 | 1787 139 20 25 58 | |
| 1623 04 12 58 24 | | 1592 152 12 00 19 | 1792 139 00 38 57 | Point N. |
| Weit. | | 1597 151 52 13 18 | 1797 138 40 51 56 | I.B. |
| 1523 02 22 42 08 | | 1602 151 32 26 17 | 1802 138 21 04 55 | Tre c |
| 1423 08 58 22 40 | | 1607 151 12 29 16 | 1807 138 01 17 54 | he f |
| 1323 15 34 03 12 | | 1612 150 52 52 15 | 1812 137 41 30 53 | pute |
| 1223 22 09 43 44 | | 1617 150 33 05 14 | 1817 137 21 42 52 | d fo |
| 1123 28 45 24 16 | | 1622 150 13 18 13 | 1822 137 01 56 51 | or the |
| 1023 35 21 04 48 | | 1627 149 53 30 3C 1632 149 33 43 29 | 1827 136 42 09 50 | lcul le b |
| 923 41 56 45 20 | | 1637 149 13 56 28 | 1832 136 22 22 49 | atio |
| 823 48 32 25 52 | Comment | 1642 148 54 09 27 | 1837 136 02 35 48 1842 135 42 48 47 | ns, |
| 723 55 08 06 24 | | 1647 148 34 22 26 | 1847 135 23 01 46 | g of |
| 623 61 43 46 56 | | 1652 148 14 35 25 | 1852 135 02 14 45 | the |
| 523 68 19 27 28 | | 1657 147 54 48 24 | 1857 134 43 27 44 | N. B. The foregoing calculations, for the Southern Magnetic point, are computed for the beginning of each Year. |
| 423 74 55 08 00 | # 1 - FEEL - # | 1662 147 35 01 23 | 1862 134 23 40 43 | the car. |
| 323 81 31 48 32 | PARTY PARTY PARTY | 1667 147 15 14 22 | 1867 134 03 52 42 | n 7 |
| 223 88 06 29 04 | | | 1872 133 44 06 41 | lagn |
| 123 94 42 09 36 | E ROTE OF THE | 1677 146 35 40 20 | . 1. 22171142[41] | ietic |
| 23 101 17 50 08 | | | H. M. H. B. B. B. B. | |
| < | | (< | ************ | And the ball of the same of th |

CHAD

To Miss investing coloradations, for the Southern Magnetic point, are composed for the forginning of each Year.

APPENDIX.

Having received a confiderable number of letters on the subject of the foregoing tract, from persons of eminence; for brevity's sake, only a few are inserted.

·

LETTER I.

From the American Minister and Plenipotentiary at the Court of France.

PARIS, AUGUST 8th, 1787.

SIR

I have duly received your favour of June 6th, and immediately communicated its contents to a member of the Academy.* He told me they had received the other copy of your memorial, which you mention to have fent through another channel; that your ideas were not conveyed so explicitly as to enable them to decide finally on their merit; but that they had made an entry on their Journals, to preserve to you the claim to the original idea. As far as we can conjecture it here, we imagine you make a table of variations of the needle, for all the different meridians whatever. To apply this table to use, in a voyage between America and Europe,—suppose the variation to increase a degree in every 160 miles,—two difficulties occur: 1st, a ready and accurate method of finding the variation of the place; 2d, an instrument, so perfect as that (though the degree on it shall represent 160 miles) it shall give the parts of the degree, so minutely as to answer the purposes of the navigator. The variation of the needle at Paris actually is 21° West. I make no doubt but you have provided against the doubts entertained here; and I shall be happy that our country may have the honour of furnishing the old world, what it has so long sought in vains. I am, with much respect, Sir, your most obedient humble fervant,

THOMAS JEFFERSON.

MR. JOHN CHURCHMAN, Philadelphia.

* The Royal Academy of Sciences.

LETTER II.

From Sir Joseph Banks, Bart. President of the Royal Society of London. .

SOHO SQUARE, SEPT. 1ft, 1787.

SIR,

HAVE received your ingenious letter relative to the variation of the needle, and take the liberty of advising you to pursue, with diligence, a subject on which it appears to me you have made a progress, sufficient to authorize a reasonable hope, that science will derive real increase from your labours.

The Royal Society having lately removed into a new honfe, the first series of observations relative to the variation is only now in its course. I cannot therefore tell you with the utmost precision what the variation is there; our instrument at present gives 23°8 / West, which probably is sufficiently exact for your purpose: presently, when the instrument is moved, we shall find if the magnetism of the building has any material effect upon it, of which, if it has, I shall with pleasure inform you I am, Sir,

Your obedient and most humble servant.

Mr. John Churchman.

JOS: BANKS.

··d>··-@··d>··-@··d>··

LETTER III.

From the House of Delegates in Maryland, dated at Annapolis, in December, 1787.

I AM commanded, by the Honourable House of Delegates, to return you their thanks, for your communication and explanation of your ideas, relative to the principles of magnetism, and their application in regulating the surveys of land; and I, with pleasure, return you the thanks of the House accordingly. I am, &c. &c.

THOMAS C. DEYE.

Speaker of the House of Delegates.

To John Churchman, Efq.



LETTER IV.

From Sir H. Parker, Bart. Secretary to the Board of Longitude in Great-Britaine

IR, ADMIRALTY, 20th DEC. 1787.

HAD the honour, at the meeting of the Commissioners of Longitude, the 8th of this month, to lay before them the memorial you some time since transmitted to me, stating, that you have discovered certain fixed principles in magnetism, which will ascertain, to a great precision, the longitude of places in all parts of the globe, &c: and I am directed to acquaint you, the Board have the subject matter of your said memorial under consideration and will take an early opportunity of giving you their sentiments upon what you have submitted to them.

Your most humble fervant,

MR. John Churchman, Philadelphia. H. PARKER, Sec'ry to the Commissioners of Longitude.

01/21 01/41 01/42

LETTER V.

An extract of one, from Charles Blagden, M. D. Secretary to the Royal Society of London.

LONDON, JULY 6, 1789.

HAVE received your letter, with the enclosed address,* and presented the letter to the Royal Society, who desired their thanks to be returned for the same. It is contrary to the rules of the Society to read before them

* An address to the members of the different learned focieties, shewing the deficiencies in professer Eulers memoir on this subject, see American Museum for May 1789.

printed papers, or fuch as are known to have been communicated to other learned bodies. The rumour of Sir Joseph Banks's death was without foundation: he is here in good health, and informs me, that your three letters are in his possession.

+ Three letters on other subjects, duplicates of which were addressed to Comte de Cassini, Director of the Royal Observatory at Paris.



LETTER VI.

From the American Minister and Plenipotentiary at the Court of France.

PARIS, SEPT. 18th, 1789.

SIR

HAVE duly received your favour of the 15th of May. I had before received, and answered, the first letter you wrote me; but the second, which you mention to have written, never came to hand. I have sent to the Secretary of the Academy of Sciences the ‡ printed paper enclosed in your last. I asked at the same time the authenticated § copy, which you defired, of the entry on their Journals, relative to your so mer communications to them. This I now enclose to you, as I received it from the Marquis de Condorcet, their Secretary. Being about to leave this country, on a visit to my own, I shall be in hopes of perhaps meeting you some where in my tour; and of expressing to you, in person, my readiness, on all occasions, to be useful to you, in the business now in hand, and the sentiments of esteem with which I am, Sir,

Your most obedient humble fervant,

THO. JEFFERSON.

Mr. Churchman.

& Copy of the entry on the Journals of the Royal Academy of Sciences above mentioned:

"La lettre de M. Churchman, de Philadelphie, fur la variation de l'aiman, à eté lue à l'Academie des Sciences de Paris, le 16 Juin, 1787.

" Je certifié cet extrait conforme aux registres de l'Academié à Paris, le 15 Septembre, 1789.

" LE MARQUIS DE CONDORCET."



LETTER VII.

From Nicholas Van Staphorst, Esq; of Holland.
Mr. John Churchman, in Philadelphia,

AMSTERDAM, 22d OCTOBER, 1789.

SIR, TRECEIVED, in due time, your very esteemed favour of 17th April, with the printed address ‡ mentioned therein, which I with great pleafure laid before my worthy friend, Professor Van Swinden, whose observa-

‡ An address to the members of the different learned societies, shewing the desiciencies in professor Euler's memoir on this subject, see American Museum for May 1789.

tions thereon you will have in the enclosed remarks from him, in French and English. The works he alludes to, I forward in a packet, by this conveyance, to Mr. George Mead, of your city, to be delivered to you; and fincerely withing they may prove to your fatisfaction. I am, with every disposition to render you the useful or agreeable offices in my power, very truly, Sir,

Your most obedient humble servant,

NICHOLAS VAN STAPHORST.



LETTER VIII.

Being an extract of one from J. H. Van Swinden, Professeur de Philosophie dans l'Université de Francker, Associé ètranger de la Socièté Royal de Médecine de Paris, Membre des Academies de Bruxelles & de Bavière; des Sociètés de Haarlem & d' Utrecht; Membre Consultant de la Socièté de Physique expérimentale de Rotterdam, & de la Socièté de Médicine de la Haye: Correspondant des Académies Royales de Paris & de Turin.

To determine the longitude by observations on declination, is a great undertaking, and worthy of all our encomiums. Navigators are most interested in its good success. This success depends, I think, upon the complete solution of these two very interesting problems: first, to determine by theory what must be, at a given time, the declination of the magnetic needle, for every point of the globe, or for every place, whose longitude and latitude are given; secondly, in a place whose latitude is given, the declination at a certain time being known, to conclude its longitude by comparing the said observation with the theory.

The first problem confiss of two parties, the one purely mathematical, the other physico-mathematical, because it is a question to draw from the observations, the chief data upon which the real calcu ations are to be founded.

The main part of observations made at sea are descrient, not only because they are perhaps ill made, but because they are ill calculated. I know certainly they commit a considerable error with respect to this on board of our East-Indiamen, of our merchantmen, and even on board of several of our men of war; namely: They take an observation of the sun at its rising or setting, the very moment its centre appears upon the horizon; then they compute its octave, or occase amplitude, whence they deduce the But when the Sun's centre feems to be in the horizon, he is realy 33' under it: and so the arch contained between the needle and the apparent place of the centre, is not the arch contained between the needle and the true centre, and this is more or lefs to the east or west, than is supposed in the calculation. This error, that cau d be so easily corrected, may amount sometimes to two degrees, being one while additional, another fubtractive. By those means, the declination seamen put in their journa's is always faulty, hough their observation be right; I looked over a great quantity of journals, and I save, what was a necessary consequence of what I said that the declination by amplitude is always different from that by aximuth. And this, though any body might say it is of little consequence in practice, is, nevertheless, of great importance in theory, and for the laws that may be deduced from a feries of observations of that kind.

Report of a Committee of Congress, which was published in the Journal.

In the House of Representatives of the United States, Monday, 20th April, 1789.

MR. Tucker reported, from the Committee to whom was referred the petitions of John Churchman and * David Ramfay,—that the Committee had, according to order, had the faid petitions under their confideration, and agreed to report thereupon; which he delivered in at the Clerk's table, where the fame was twice read, and debated by clauses, the first

clause, in the words following,-to wit,

"The Committee have conferred with Mr. Churchman, and find he has made many calculations, which tend to establish his position, that there are two magnetic points, which give direction to the needle. That, upon this doctrine, he has endeavoured to afcertain, from a given latitude, and a given variation, what must be the longitude of the place; and, having applied his principles to many inflances in Cooke's Voyages, has found the refult to correspond, with considerable accuracy, with the real facts, as far as they could be determined by the reckoning of the ship. That the object to which Mr. Churchman's labours are directed, is, confessedly, of very high importance; and his ideas on the subject appear to be ingenious. That, with a view of applying them to practice, he has contrived a map and a globe, whereby to shew the angles which are made by the intersection of the real and the magnetic meridians, in different parts of the earth. That he is also engaged in conftructing tables, for determining the longitude at fea, upon magnetic principles. That the committee are of opinion, that fuch efforts deferve encouragement; and that a law should pass to secure to Mr. Churchman, for a term of years, the exclusive pecuniary emolument to be derived from the publication of these several inventions,"-was again read; and, on the question put thereupon, agreed to, by the House.

The fecond clause, in the words following,—to wit: "With respect to the voyage proposed by Mr. Churchman, to Baffin's Bay, the Committee are cautious of recommending, in the present deranged state of our finances, a precipitate adoption of a measure, which would be attended with considerable expence: But they are of opinion, that, at a future day, if Mr. Churchman's principles should be found to succeed in practice, it would be proper to give farther encouragement to his ingenuity,"—was again read; and, on

a motion made, ordered to lie on the table.

On motion, ordered.—That a bill or bills be brought in, making a general provision for fecuring to authors and inventors the exclusive right to their respective writings and discoveries; and that Mr Huntington, Mr. Cadwallader, and Mr. Contee, do prepare and bring in the same.

Extract from the Journal.


JOHN BECKLEY, CLERK.


* Dr. Ramfay's petition was concerning his history of the revolution.


ERRATA.


| Page. | Line. | | | | of the particular of the second |
|-------|-------|------------|------------|------------|---------------------------------|
| 14 | 13 | for | plain | | plane |
| 15 | 26 | | 4811 50111 | | 41 11 51 111 |
| 17 | 29 | 200- 3 | Sumatria | read | Sumatra |
| 19 | 24 | | distance | ricati | distances |
| 25 | 24 | Service of | magnetic | | magnetic |
| 100 | | | axis | 20.2 | pointer axis |
| 28 | 15 | 1000 | a a table | 200 (0.00) | a table |


my











QC814 .C55 Copy 5 Rare BK Coil

05-31395

